




Product Family Honeywell A800 Series

Affordable and economically priced! Sporty, wrap-around eyewear with unique temples with extra ""Flex"" built in for increased tension control.

Honeywell

Product Numbers & Ordering Information	Product Numbers	Details
	1015370	Clear Frame Clear Lens, Anti-scratch Coating
	1015368	Gray Frame TSR Gray Lens, Anti-scratch Coating

Honeywell A800 Series



Key Features

- Affordably priced and economical for your business
- Sporty, 9-base wrap-around polycarbonate lens
- Non-slip rubber nose bridge
- Unique temples with soft, padded inserts down the length of the temple
- Extra "flex" built into the temple for increased tension control
- Available with scratch-resistant hardcoating or optional Fog-Ban® anti-fog coating

Recommended Industries/Use

- Agriculture
- Construction
- Food Services
- Forestry
- Manufacturing
- Medical
- Municipal Services
- Oil and Gas
- Steel and Metals

Hazards

- Abrasion
- Airborne Particulates
- Biohazard
- Impact
- Low Visibility

Regulations

- ANSI Z87+ -
- EC Category PPE: Category II, Standard EN166:2001 European Directives 89/686/EEC, Quality Assurance: ISO 9001/2000, Optical Class 1, F-Low energy impact

Historical Brand

Overview

Pulsafe, Willson, Honeywell

Warranty Information

LIMITED WARRANTY: Honeywell warrants that is products are free from defects in material and workmanship. A product that is subject of a warranty claim must first be made available to an authorized Honeywell Safety Products distributor or the to seller from whom the product was purchased. All warranty returns must be shipped pre-paid. Honeywell or the Honeywell Safety Products distributor will then determine whether repair or replacement of the product is the appropriate remedy. This will be done at no charge to the end-user. This limited warranty does not cover any Honeywell product or component found to have been altered, misused, abused tampered with or improperly maintained or to have deteriorated due to aging of any components made of rubber or any other elatomer. This limited warranty does not cover any damage, loss or expense due to damage caused by accident, abuse, improper maintenance, use or misuse of the product. Honeywell Safety Products should be used only on strict accordance with and adherance to the detailed instructions and warnings provided with the product.

Range	Spectacles	
Lens Type	Single	
Lens Overall Width	145mm	
Lens Material	Polycarbonate	
Lens Coating	Hardcoat, Fog-Ban® Anti-Fog Coating	
Lens Thickness	2.1mm	
Available Lens Tints	Clear, TSR® Gray, Amber, Blue Mirror, I/O Silver Mirror	
Replacement Lenses Available (Yes/No)	No	
Rx Capable	No	
Temple Material	Polycarbonate	
Temple Length	115mm	
Temple Set-back	35mm	
Temple Style	1 piece	
Spectacle Weight	21.5 grams	

Specifications

Honeywell A800 Series

Frame Material	Frameless Uni-lens
Available Frame Colors	Clear, Gray, Amber
Dielectric Frame (Yes/No)	Yes
Packaging	1/polybag, 10 pr./stocker, 200 pr./case
Country of Origin	China
Side Shield Material	N/A
MSDS Requirements	None
WHMIS Requirements	None
Harmonization Code	9004.90.0000

All products come packaged with instructions and warnings for proper use.

Training & Proper Use

France : info-france.hsp@honeywell.com Export : info-export.hsp@honeywell.com Belgium, Luxembourg, netherlands : infobenelux.hsp@honeywell.com Germany, Austria, Switzerland : info-germany.hsp@honeywell.com Italy : info-italia.hsp@honeywell.com United Kingdom, Middle East & SouthernAfricaBranch : infouk.hsp@honeywell.com Spain, Portugal : info-spain.hsp@honeywell.com Sweden, Denmark, Finland, Iceland, Norway : infonordic.hsp@honeywell.com Estonia, Latvia, Lithuania : info-nordic.hsp@honeywell.com Russia : info-russia.hsp@honeywell.com Hungary : info-hungary.hsp@honeywell.com Poland : info-poland.hsp@honeywell.com



© Honeywell International Inc.